


PLAST MASTER  
Teresa i Ryszard Sudoł  
Ul. Polna 4b, 37-100 Łańcut



## Declaration of Performance

No. PM1/V/2013  
Wersja nr 2


### Dimpled Geomembrane VENTFOL STANDARD

1. Unique identification code of the product type	<b>VENTFOL STANDARD</b>
2. Intended use or uses	HDPE foil, extruded, for external moisture-resistant insulation of walls, foundations, floors and under floors, ceilings, flat roofs as well as for moisture-resistant applications in civil engineering with the functions of separation and drainage. PN EN 13967:2012 (EN 13967:2012)
3. Manufacturer	Plast Master Teresa i Ryszard Sudoł Ul. Polna 4b 37-100 Łańcut
4. Authorised Representative	Not applicable
5. System of assessment and verification of constancy of performance as per the Attachment 5	System 2+
6a. Harmonized Standard. Notified Body.	PN EN 13967:2012 Instytut Techniki Budowlanej 1488. (Building Research Institute)

7. Declared performance			
Essential Characteristics	Performance	Harmonized Standard	
Reaction to Fire PN EN 13501-1	F	EN 13967:2012	
Resistance to water penetration 2kPa/24h PN EN 1928	conforming		
Resistance to impact PN EN 12691	≥350 mm		
Resistance to static loads PN EN12730	≥20kg/24h		
Tensile strength, machine direction (MD) PN EN 12311-2	≥250 N/50mm		
Tensile strength, cross machine direction (CD) PN EN ISO 12311-2	≥220 N/50mm		
Resistance to tear (with a nail), machine direction (MD) PN EN 12310-1	≥250N		
Resistance to tear (with a nail), cross machine direction (CD) PN EN 12310-1	≥300N		
Durability	Resistance to artificial ageing 2kPa/24h PN EN 1928/ PN EN 1296		conforming
	Resistance to chemicals 2kPa/24h PN EN 1928/ PN EN 1847		conforming
Hazardous substances	NPD		
Connection durability PN EN 12317-2	NPD		

The performance of the product identified above is in conformity with the declared performance. This declaration of performance is issued according to EU Directive No. 305/2011 under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer signed by:

Wiesław Łącz  
  
 Quality Inspection Manager



**PLAST MASTER**  
 Teresa i Ryszard Sudol

ul. Polna 4b, 37-100 Łańcut  
 tel. 17 225 47 81, fax 17 225 69 41  
 NIP 8151001473, REGON 690318199

Lancut: 12.07.2016r.