


PLAST MASTER
Teresa i Ryszard Sudoł
Ul. Polna 4b, 37-100 Łańcut



Declaration of Performance

No. PM3/V/2013
Version nr 2

Dimpled Geomembrane VENTFOL SUPER

1. Unique identification code of the product type	VENTFOL SUPER
2. Intended use or uses	HDPE foil, extruded, for external moisture-resistant insulation of walls, foundations, floors and under floors, ceilings, flat roofs as well as for moisture-resistant applications in civil engineering with the functions of separation and drainage. PN EN 13967:2012 (EN 13967:2012)
3. Manufacturer	Plast Master Teresa i Ryszard Sudoł Ul. Polna 4b 37-100 Łańcut
4. Authorised Representative	Not applicable
5. System of assessment and verification of constancy of performance as per the Attachment 5	System 2+
6a. Harmonized Standard. Notified Body.	PN EN 13967:2012 Instytut Techniki Budowlanej 1488. (Building Research Institute)

7. Declared performance

Essential Characteristics		Performance	Harmonized Standard
Reaction to Fire PN EN 13501-1		F	EN 13967:2012
Resistance to water penetration 2kPa/24h PN EN 1928		conforming	
Resistance to impact PN EN 12691		≥400 mm	
Resistance to static loads PN EN12730		≥20kg/24h	
Tensile strength, machine direction (MD) PN EN 12311-2		≥300 N/50mm	
Tensile strength, cross machine direction (CD) PN EN ISO 12311-2		≥250 N/50mm	
Resistance to tear (with a nail), machine direction (MD) PN EN 12310-1		≥330N	
Resistance to tear (with a nail), cross machine direction (CD) PN EN 12310-1		≥400N	
Durability	Resistance to artificial ageing 2kPa/24h PN EN 1928/ PN EN 1296	conforming	
	Resistance to chemicals 2kPa/24h PN EN 1928/ PN EN 1847	conforming	
Hazardous substances		NPD	
Connection durability PN EN 12317-2		NPD	

The performance of the product identified above is in conformity with the declared performance. This declaration of performance is issued according to EU Directive No. 305/2011 under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer signed by:

Wiesław Łącz
Wiesław Łącz
 Quality Inspection Manager



PLAST MASTER
 Teresa i Ryszard Sudol

ul. Polna 4b, 37-100 Łańcut
 tel. 17 225 47 81, fax 17 225 69 41
 NIP. 8151001473, REGON 690318199
 Lancut: 12.07.2016r.